

Cambridge International AS & A Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

3 0 1 4 9 9 4 8 4

COMPUTER SCIENCE

9618/12

Paper 1 Theory Fundamentals

May/June 2021

1 hour 30 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use an HB pencil for any diagrams, graphs or rough working.
- Calculators must not be used in this paper.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].
- No marks will be awarded for using brand names of software packages or hardware.

1	Raj owns houses that other people rent from him. He has a database that stores details about
	the people who rent houses, and the houses they rent. The database, HOUSE RENTALS, has the
	following structure:

```
CUSTOMER(CustomerID, FirstName, LastName, DateOfBirth, Email)
HOUSE(HouseID, HouseNumber, Road, Town, Bedrooms, Bathrooms)
RENTAL(RentalID, CustomerID, HouseID, MonthlyCost, DepositPaid)
```

(a) Give the definition of the following database terms, using an example from the database HOUSE RENTALS for each definition.

Term	Definition and example
Field	
Entity	
Foreign key	

[6]

(b) Tick (\checkmark) one box to identify whether the database <code>HOUSE_RENTALS</code> is in Third Normal Form (3NF) or not in 3NF.

Justify your choice using one or more examples from the database HOUSE RENTALS.

3NF	In 3NF	
3NF	Not in 3NF	

Justification		
	 •	
		[2]
	 	14

(c) Example data from the table ${\tt RENTAL}$ are given:

RentalID	CustomerID	HouseID	MonthlyCost	DepositPaid
1	22	15B5L	1000.00	Yes
2	13	3F	687.00	No
3	1	12AB	550.00	Yes
4	3	37	444.50	Yes


(1)	RENTAL.
	CREATE (
	RentalID INTEGER NOT NULL,
	CustomerID INTEGER NOT NULL,
	HouseID(5) NOT NULL,
	MonthlyCostNOT NULL,
	DepositPaid BOOLEAN NOT NULL,
	(RentalID)
); [4
(ii)	Write a Data Manipulation Language (DML) script to return the first name and last name of all customers who have not paid their deposit.

		Free	Open		Commerc	rial	
	Tick (✓) one or more boxes in each	h row to identify	y the licence	(s) each state	ment descri	bes.	
(c)	The final game will be released und	ler a licence.					
						[3]	
	Describe how the computer would u	use Artificial Int	elligence (Al) to play the b	oard game.		
(b)	The team are developing a computers) against the computer.	nei game whe	ie lile usei	piays a DOald	game (Suc	JII 85	
(b)							
						[2]	
(a)	Explain the reasons why it is important members.	oortant that Ais	sha acts eth	ically in relat	ion to her	team	
Aish	isha manages a team of software developers.						

Statement	Free Software Foundation	Open Source Initiative	Shareware	Commercial Software
The user can edit the source code				
The user must always pay before being able to use the software				
The user can redistribute the software				
The user always gets a trial period				

3 A logic expression is given:

(a) Draw the logic circuit for the given expression.



(b) Complete the truth table for the logic expression:

Α	В	С	Working space	S
0	0	0		
0	0	1		
0	1	0		
0	1	1		
1	0	0		
1	0	1		
1	1	0		
1	1	1		

4 The table shows part of the instruction set for a processor. The processor has one general purpose register, the Accumulator (ACC), and an Index Register (IX).

Ins	truction	Evalenation		
Opcode Operand		Explanation		
LDM	#n	Immediate addressing. Load the number n to ACC		
LDD	<address></address>	Direct addressing. Load the contents of the location at the given address to ACC		
STO	<address></address>	Store contents of ACC at the given address		
ADD	<address></address>	Add the contents of the given address to the ACC		
INC	<register></register>	Add 1 to the contents of the register (ACC or IX)		
DEC	<register></register>	Subtract 1 from the contents of the register (ACC or IX)		
CMP	<address></address>	Compare the contents of ACC with the contents of <address></address>		
JPE	<address></address>	Following a compare instruction, jump to <address> if the compare was True</address>		
JPN	<address></address>	Following a compare instruction, jump to <address> if the compare was False</address>		
JMP	<address></address>	Jump to the given address		
IN		Key in a character and store its ASCII value in ACC		
OUT		Output to the screen the character whose ASCII value is stored in ACC		
END		Return control to the operating system		
# denotes	a denary numbe	er, e.g. #123		

The current contents of the main memory and selected values from the ASCII character set are:

70	IN
71	CMP 100
72	JPE 80
73	CMP 101
74	JPE 76
75	JMP 80
76	LDD 102
77	INC ACC
78	STO 102
79	JMP 70
80	LDD 102
81	DEC ACC
82	STO 102
83	JMP 70
	J
	'
100	68
101	65
102	100

ASCII code table (selected codes only)

ASCII code	Character
65	A
66	В
67	С
68	D

(a) Complete the trace table for the program currently in main memory when the following characters are input:

A D

Do not trace the program any further when the third input is required.

Instruction	ACC	Memory address		
address	ACC	100	101	102
		68	65	100

(b) Some bit manipulation instructions are shown in the table:

Instruction Opcode Operand		Explanation
		Expianation
AND	#n	Bitwise AND operation of the contents of ACC with the operand
AND	<address></address>	Bitwise AND operation of the contents of ACC with the contents of <address></address>
XOR	#n	Bitwise XOR operation of the contents of ACC with the operand
XOR	<address></address>	Bitwise XOR operation of the contents of ACC with the contents of <address></address>
OR	#n	Bitwise OR operation of the contents of ACC with the operand
OR	<address></address>	Bitwise OR operation of the contents of ACC with the contents of <address></address>
<address></address>	can be an abso	olute address or a symbolic address

<address> can be an absolute address or a symbolic address # denotes a denary number, e.g. #123

The contents of the memory address 300 are shown:

Bit Number	7	6	5	4	3	2	1	0
300	0	1	1	0	0	1	1	0

(i)	The contents of memory address 300 represent an unsigned binary integer.
	Write the denary value of the unsigned binary integer in memory address 300.
	[1]
(ii)	An assembly language program needs to test if bit number 2 in memory address 300 is a 1.
	Complete the assembly language instruction to perform this test.
	#4
(iii)	An assembly language program needs to set bit numbers 4 , 5 , 6 and 7 to 0 , but keep bits 0 to 3 with their existing values.
	Write the assembly language instruction to perform this action.
	[2]

Set	n uses a computer for work.
(a)	Complete the following descriptions of internal components of a computer by writing the missing terms.
	The transmits the signals to coordinate events based
	on the electronic pulses of the
	The carries data to the components, while the
	carries the address where data needs to be written to
	or read from.
	The performs mathematical operations and
	logical comparisons. [5]
(b)	Describe the ways in which the following factors can affect the performance of his laptop computer.
	Number of cores
	Clock speed
	[4]

;)	Set	h accesses both software and data using cloud computing.	
	(i)	Give two benefits of storing data using cloud computing.	
		1	
		2	
			[2]
	(ii)	Give two drawbacks of Seth using cloud computing.	
		1	
		2	
			 [2]

(d) Draw one line from each term to its most appropriate description.

Term Description It is only visible to devices within the Local Area Network (LAN) Public IP address It increments by 1 each time the device connects to the internet A new one is reallocated each time a device Private IP address connects to the internet It can only be allocated to a router Dynamic IP address It is visible to any device on the internet Static IP address It does not change each time a device connects to the internet

[4]

A c	ompu	iter uses the ASCII character set.	
(a)		te the number of characters that can be represented by the ASCII character set and ended ASCII character set.	the
	ASC	CII	
	Exte	ended ASCII	[2]
(b)	Exp	plain how a word such as 'HOUSE' is represented by the ASCII character set.	
(c)		code is a different character set.	
	The	Unicode value for the character '1' is denary value 49.	
	(i)	Write the hexadecimal value for the Unicode character '1'.	
			[1]
	(ii)	Write the denary value for the Unicode character '5'.	
			[1]

Jen	nifer	is writing a computer program for her A Level homework.
(a)	Jen	nifer uses a program library to help her write her computer program.
	Des	scribe how a program library can be used while writing a computer program.
		[2]
(b)	Jen	nifer uses an Integrated Development Environment (IDE) to write her computer program.
	(i)	The IDE allows Jennifer to use both an interpreter and a compiler while creating her computer program.
		Describe the ways in which Jennifer can use both a compiler and an interpreter while developing the program.
		[4]
	(ii)	Identify two debugging tools that a typical IDE can provide.
		1
		2
		[2]

	ompany has several security measures in place to prevent unauthorised access to the data on computers.
(a)	Describe the difference between the security and privacy of data.
	[2]
(b)	Each employee has a username and password to allow them to log onto a computer. An employee's access rights to the data on the computers is set to either read-only, or read and write.
	Identify one other software-based measure that could be used to restrict the access to the data on the computers.
(-)	
(c)	The company is also concerned about threats posed by networks and the internet.
	Identify two threats to the data that are posed by networks and the internet.
	Threat 1
	Threat 2
	[2]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.