

Cambridge International AS & A Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

5 4 1 6 3 1 4 2 4

COMPUTER SCIENCE

9618/32

Paper 3 Advanced Theory

May/June 2022

1 hour 30 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use an HB pencil for any diagrams, graphs or rough working.
- Calculators must not be used in this paper.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].
- No marks will be awarded for using brand names of software packages or hardware.

This document has 12 pages.

1 Data types can be defined using pseudocode.

TYPE BuildingRecord

The data type.	Building	Record, is	defined in	pseudocode as:
----------------	----------	------------	------------	----------------

ENI	DECIDECIDECIDECI	LARE BuildingID : INTEGER LARE BuildingGroup : STRING LARE OwnerName : STRING LARE BuildingAddress : STRING LARE DateLastSold : DATE LARE PriceLastSold : REAL
A va	ariabl	e, BuildingRegister, is declared in pseudocode as:
	DEC	LARE BuildingRegister : BuildingRecord
(a)	Writ	e pseudocode statements to assign:
	•	1067 to the BuildingID of BuildingRegister house to the BuildingGroup of BuildingRegister
		[2]
(b)	cha	type definition for BuildingRecord is changed. The data type for BuildingGroup is nged to an enumerated type, BuildingType, with values of house, bungalow, apartment farm.
(b)	cha	nged to an enumerated type, BuildingType, with values of house, bungalow, apartment
(b)	chai and	nged to an enumerated type, BuildingType, with values of house, bungalow, apartment farm.
(b)	chai and	nged to an enumerated type, BuildingType, with values of house, bungalow, apartment farm.
(b)	chai and	nged to an enumerated type, BuildingType, with values of house, bungalow, apartment farm. Write the type declaration for BuildingType in pseudocode.
(b)	chai and	nged to an enumerated type, BuildingType, with values of house, bungalow, apartment farm.
(b)	char and	nged to an enumerated type, BuildingType, with values of house, bungalow, apartment farm. Write the type declaration for BuildingType in pseudocode. [2]
(b)	char and	nged to an enumerated type, BuildingType, with values of house, bungalow, apartment farm. Write the type declaration for BuildingType in pseudocode. [2]
	char and	mged to an enumerated type, BuildingType, with values of house, bungalow, apartment farm. Write the type declaration for BuildingType in pseudocode.

......[1]

(c) The program is to be rewritten using Object-Oriented Programming (OOP). The data type BuildingRecord is to be changed to a class, BuildingClass.

The properties for BuildingClass are BuildingID, BuildingGroup, OwnerName, BuildingAddress, DateLastSold and PriceLastSold.

All the properties are set to	PRIVATE, for	example:
-------------------------------	--------------	----------

PRIVATE PriceLastSold : REAL

(i)	Write the declaration in pseudocode for OwnerName as PRIVATE.
(ii)	Explain why the properties have been set to PRIVATE.
	[2]

2 A declarative language is used to represent the following facts about a school.

```
01 teaches (alan, mathematics).
02 teaches (ioana, geography).
03 teaches (nina, history).
04 teaches (alan, statistics).
05
06 studies (ahmed, history).
07 studies(freya, history).
08 studies(kim, history).
09 studies (freya, geography).
10 studies (hua, mathematics).
11 studies (hua, statistics).
12 studies (hua, geography).
13
14 tutors(alan, kim).
15 tutors (alan, hua).
16 tutors (alan, freya).
17 tutors (nina, ahmed).
```

These clauses have the following meaning:

Clause	Meaning
01	Alan teaches mathematics.
06	Ahmed studies history.
14	Alan is Kim's tutor.

(a) More facts are to be included. Sam studies history and Nina is his tutor.

Write the additional clauses to record these facts.

18	
19	
	[2]

(b) Using the variable Student, the goal:

```
studies (Student, history)
```

returns

```
Student = freya, ahmed, kim
```


Write the result returned by the goal:

```
studies (Student, geography)
```

Student =[1]

	(c)	Write the goal, using the variable x , to find all the students who have a tutor that teach them. For example, Hua has Alan for a tutor and is also taught mathematics by Alan.	ıes
			[4]
3	The	TCP/IP protocol suite has four layers. The application layer provides user services.	
	(a)	Identify two protocols used by this layer. Describe the use of each protocol.	
		Protocol 1	
		Description	
		Protocol 2	
		Description	
			[4]
	(b)	Identify two other layers of the TCP/IP protocol suite. Describe the function of each layer.	
		Layer 1	
		Description	
		Layer 2	
		Description	
			 [4]

- 4 The following syntax diagrams show the syntax of:
 - a variable
 - an unsigned integer
 - a letter
 - a digit
 - an operator
 - an assignment statement.




(a) The following assignment statements are invalid. State the reason in each case.

X1 = Y2 - 12	
Reason	
	••••
Z = Y12 + Z1	
Reason	
	[2]

(b)	Con	Complete the Backus-Naur Form (BNF) for the syntax diagrams shown.					
	<le< th=""><th>tter> has been completed for you.</th><th></th></le<>	tter> has been completed for you.					
	<va< th=""><th>riable> ::=</th><th></th></va<>	riable> ::=					
	<un< td=""><td>signed_integer> ::=</td><td></td></un<>	signed_integer> ::=					
	<le< th=""><th>tter> ::= X Y Z</th><th></th></le<>	tter> ::= X Y Z					
	<di< td=""><td>git> ::=</td><td></td></di<>	git> ::=					
	<op< td=""><td>erator> ::=</td><td></td></op<>	erator> ::=					
	<as< th=""><th>signment_statement> ::=</th><th></th></as<>	signment_statement> ::=					
			 [5]				
(c)		syntax of an assignment statement is changed to allow each of the variables on tale. In the contract of the '=' symbol to be either a variable or an unsigned integer.	he				
	(i)	Draw a syntax diagram for the new syntax of the assignment statement .					
			[3]				
	(ii)	Write the Backus-Naur Form (BNF) for your syntax diagram.					
			[3]				

There are four basic categories of computer architecture. Single Instruction Single Data (SISD) is one architecture.
Identify the three other categories of computer architecture.
Describe each category that you identify.
Architecture 1
Description
Architecture 2
Description
Architecture 3
Description
[6]

6 A logic circuit has two inputs **A** and **B**, and two outputs **E** and **F**.



(a) Complete the truth table for this logic circuit.

INF	TUT	OUTPUT		
Α	В	E	F	
0	0			
0	1			
1	0			
1	1			

 [1]

[2]

[2]

(b) (i) State the name of this logic circuit.

(ii)

[1]
State the purpose of each output E and F .	
Purpose of E	
Purpose of F	

A digital signature is used to validate the authenticity of an electronic message.

7

In c	rder	to produce a digital signature, a digital certificate is required.
(a)	Sta	te how a digital certificate is obtained.
		[3]
(b)	(i)	Explain how a digital signature is produced before the message is sent.
		[3]
	(ii)	Explain how the digital signature can be checked on receipt to ensure that the message has not been altered during transmission.
		[A]

- 8 A binary search or a linear search can be used to look for a specific value in an array.
 - (a) Complete this pseudocode algorithm for a linear search.

	DEC DEC DEC	LARE MyList: ARRAY[0:9] OF INTEGER LARE MaxIndex: INTEGER LARE Index: INTEGER LARE Found: BOOLEAN LARE ValueToFind:	
	Fou Ind	UT ValueToFind nd ← FALSE lex ← 0 Index ←	
		EAT IF MyList[Index] = ValueToFind THEN Found ← TRUE ENDIF Index ←	
		IL Found OR Index > MaxIndex	
	ELS	Found THEN OUTPUT "Value found at position ", Index E OUTPUT	
	END		[4]
(b)	(i)	State the necessary condition for a binary search.	
			[1]
	(ii)	Describe how to perform a binary search.	
			••••
			••••
			[4]

	(iii)	Explain how the performance of a binary search varies according to the number of values in the array.
		[1]
		mpare the performance of the algorithms for a binary search and a linear search using O notation for order of time complexity.
		[3]
9	State the	e reasons for including exception handling routines when writing a program.
	Include a	an example of an exception in your answer.
		[4]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.