

Mark Scheme (Results) June 2019

Pearson Edexcel Advanced Level

In Physics (9PH0)

Paper 03 Advanced Physics III

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

June 2019
Publications Code 9PH0_03_MS_1906
All the material in this publication is copyright
© Pearson Education Ltd 2019

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Physics Specific Marking Guidance

Underlying principle

The mark scheme will clearly indicate the concept that is being rewarded, backed up by examples. It is not a set of model answers.

1. Mark scheme format

- 1.1 You will not see 'wtte' (words to that effect). Alternative correct wording should be credited in every answer unless the MS has specified specific words that must be present. Such words will be indicated by underlining e.g. 'resonance'
- 1.2 Bold lower case will be used for emphasis e.g. 'and' when two pieces of information are needed for 1 mark.
- 1.3 Round brackets () indicate words that are not essential e.g. "(hence) distance is increased".
- 1.4 Square brackets [] indicate advice to examiners or examples e.g. [Do not accept gravity] [ecf].

2. Unit error penalties

- 2.1 A separate mark is not usually given for a unit but a missing or incorrect unit will normally mean that the final calculation mark will not be awarded.
- 2.2 This does not apply in 'show that' questions or in any other question where the units to be used have been given, for example in a spreadsheet.
- 2.3 The mark will not be awarded for the same missing or incorrect unit only once within one clip in epen.
- 2.4 Occasionally, it may be decided not to insist on a unit e.g the candidate may be calculating the gradient of a graph, resulting in a unit that is not one that should be known and is complex.
- 2.5 The mark scheme will indicate if no unit error is to be applied by means of [no ue].

3. Significant figures

- 3.1 Use of too many significant figures in the theory questions will not be prevent a mark being awarded if the answer given rounds to the answer in the MS.
- 3.2 Too few significant figures will mean that the final mark cannot be awarded in 'show that' questions where one more significant figure than the value in the question is needed for the candidate to demonstrate the validity of the given answer.
- 3.3 The use of one significant figure might be inappropriate in the context of the question e.g. reading a value off a graph. If this is the case, there will be a clear indication in the MS.
- 3.4 The use of $g = 10 \text{ m s}^{-2}$ or 10 N kg^{-1} instead of 9.81 m s⁻² or 9.81 N kg⁻¹ will mean that one mark will not be awarded. (but not more than once per clip).

 Accept 9.8 m s⁻² or 9.8 N kg⁻¹
- 3.5 In questions assessing practical skills, a specific number of significant figures will be required e.g. determining a constant from the gradient of a graph or in uncertainty calculations. The MS will clearly identify the number of significant figures required.

4. Calculations

- 4.1 Bald (i.e. no working shown) correct answers score full marks unless in a 'show that' question.
- 4.2 If a 'show that' question is worth 2 marks. then both marks will be available for a reverse working; if it is worth 3 marks then only 2 will be available.
- 4.3 'use of' the formula means that the candidate demonstrates substitution of physically correct values, although there may be conversion errors e.g. power of 10 error.
- 4.4 recall of the correct formula will be awarded when the formula is seen or implied by substitution.
- 4.5 The mark scheme will show a correctly worked answer for illustration only.

5. Graphs

- 5.1 A mark given for axes requires both axes to be labelled with quantities and units, and drawn the correct way round.
- 5.2 Sometimes a separate mark will be given for units or for each axis if the units are complex. This will be indicated on the mark scheme.
- 5.3 A mark given for choosing a scale requires that the chosen scale allows all points to be plotted, spreads plotted points over more than half of each axis and is not an awkward scale e.g. multiples of 3, 7 etc.
- 5.4 Points should be plotted to within 1 mm.
 - Check the two points furthest from the best line. If both OK award mark.
 - If either is 2 mm out do not award mark.
 - If both are 1 mm out do not award mark.
 - If either is 1 mm out then check another two and award mark if both of these OK, otherwise no mark.
 - For a line mark there must be a thin continuous line which is the best-fit line for the candidate's results.

Question Number	Acceptable Answer	Additional Guidance	Mark	
1(a)	Systematic (error)	(1)		1
1(b)	 (Take readings at) different places/positions (Take readings at) different orientations/angles Calculate a mean/average value 	(1) (1) (1)		3
1(c)	 There will be variations in positioning the (jaws of the) micrometer. Or There will be variations in the length of the tube (at different points around the circumference of the tube) 	(1)	(Accept any reasonable practical physics alternative)	1

(Total for Question 1 = 5 marks)

Question Number	Acceptable Answer	Additional Guidance	Mark	
2(a)	Series circuit including power supply, heater and			
	ammeter.	(1)		
	Voltmeter connected in parallel with heater	(1)		2
2(b)(i)	Change in temperature and corresponding time	(1)	Example of calculation:	
	• Use of $P = \Delta E/\Delta t$ and $\Delta E = mc\Delta\theta$	(1)	$\frac{\Delta \theta}{\Delta t} = \frac{(36 - 16) \text{ K}}{(500 - 0) \text{ s}} = 0.04 \text{ K s}^{-1}$	
	050 11 - 1 12-1		$\Delta t = (500 - 0) \text{ s}$	
	• $c = 950 \text{ J kg}^{-1} \text{ K}^{-1}$	(1)	37.5 W = 0.986 kg × c ×0.04 K s ⁻¹ c = 951 J kg ⁻¹ K ⁻¹	3
2(b)(ii)	An explanation that makes reference to the following points:			
	• In 240 s the temperature of the block rose by only			
	9.6 °C Or It took 250 s for the temperature of the			
	block to rise by 10 °C.	(1)	For MP1 accept 9.5 °C	
			Accept it took 10 s longer	
	Hence there must have been energy transfer to the			
	surroundings (by heating)	(1)	For MP2 accept energy dissipated to the surroundings	2

(Total for Question 2 = 7 marks)

Question Number	Acceptable Answer		Additional Guidance	Mark
3(a)	 An explanation that makes reference to the following points: Uncertainty in each reading = 0.05 cm Uncertainty in r is 2 × uncertainty in each reading Hence percentage uncertainty = 0.8 % 	(1) (1)	$\frac{\text{Example of calculation:}}{\text{% uncertainty}} = \frac{0.1 \text{ cm}}{(17.5-5.0) \text{ cm}} \times 100 \% = 0.8 \%$	
	ı ç	(1)	Accept statement that uncertainty in $r = 0.1$ cm for MP2	3
3(b)(i)	To reduce the effect of random errors	(1)		1
3(b)(ii)	 Use of data to calculate mean value Use of half range Or Use of greatest deviation from mean % uncertainty in range 5 % to 6% consistent with student's working (1 or 2 SF) 	(1) (1) (1)	Example of calculation: $\omega_{av} = \frac{(0.112 + 0.116 + 0.118 + 0.123 + 0.125)}{5}$ $= 0.119 \text{ rad s}^{-1}$ Half range value = $\frac{0.125 \text{ mm} - 0.112 \text{ mm}}{2} = 0.0065$ $\therefore \% \text{ uncertainty} = \frac{0.0065 \text{ mm}}{0.119 \text{ mm}} \times 100 \% = 5.5 \%$ Use of greatest deviation from mean gives 5.9 %	3
3(b)(iii)	 % uncertainty in ω is doubled Add % uncertainty in r % uncertainty = 11 % to 13% consistent with student's working (2 or 3 SF)(ecf from (b)(ii)) 	(1)(1)(1)	Don't penalise sf in both (ii) and (iii) Example of calculation: % uncertainty = 5% + 5% + 1% = 11%	3
3(c)	An explanation that makes reference to the following points: • The centripetal force is provided by friction	(1)		
	 There is a max (frictional) force Or (frictional) force is the same when coin starts to slide F=mω²r so as r increased ω decreased 	(1)(1)	For MP3 accept ω^2 for ω	3

(Total for Question 3 = 13 marks)

Question Number	Acceptable Answer		Additional Guidance	Mark
4	• $\frac{1}{f} = \frac{1}{u} + \frac{1}{v}$, re-arranged to make $\frac{1}{v}$ the subject	(1)	$\frac{1}{f} = \frac{1}{f} + \frac{1}{f}$	
	• Comparison with $y = mx + c$	(1)	y = mx + c	
	• So intercept equals 1/f	(1)		
	• Use the y intercept to calculate a value for f	(1)		
	 Comment on the agreement with the initial determination including an appropriate justification OR 	(1)		
	• Since $\frac{1}{f} = \frac{1}{u} + \frac{1}{v}$, when $\frac{1}{u} = 0$, $f = v$	(1)		
	• When $\frac{1}{v} = 0, f = v$	(1)		
	 Use the <i>y</i> intercept to calculate a value for <i>f</i> Use the <i>x</i> intercept to calculate a value for <i>f</i> 	(1) (1)		
	 Comment on the agreement with the initial determination including an appropriate justification 	(1)		
	ORRead a pair of corresponding values from the graph	(1)		
	• Use of $\frac{1}{f} = \frac{1}{u} + \frac{1}{v}$ to calculate a value for f	(1)		
	• Read a second pair of corresponding values from the graph	(1)		
	• Use of $\frac{1}{f} = \frac{1}{u} + \frac{1}{v}$ to calculate a second value for f	(1)		
	• Comment on the agreement with the initial determination including an appropriate justification	(1)		5

Question Number	Acceptable Answer		Additional Guidance	Mark
5(a)	• μ read from graph	(1)	Accept μ in the range 140 (m ⁻¹) - 160 (m ⁻¹)	
	• Use of $I = I_0 e^{-\mu x}$	(1)		
	• $I = 1.5 \text{ W m}^{-2}$	(1)	Accept answers that round to 1.4 W m ⁻² or 1.5 W m ⁻² dependent upon value of μ for MP3	3
			Example of calculation: $I=1.8 \text{ W m}^{-2} \times \text{e}^{-150 \text{ m}^{-1} \times 1.4 \times 10^{-3} \text{m}} = 1.46 \text{ W m}^{-2}$	
5(b)	• (for deoxygenated blood) μ is greater for red	(1)	Accept values for μ which show $\mu_{red} > \mu_{IR}$ for MP1	
	 hence more red is absorbed Or intensity is smaller for red 			
	Or $e^{-\mu x}$ is smaller for red	(1)	Allow numerical substitutions for MP2 and MP3	
	• So I/I_0 is smaller for red [dependent upon MP2]	(1)	Accept converse argument leading to same conclusion	3
5(c)	• Use of $\lambda_{\text{max}} T = 2.898 \times 10^{-3} \text{ m K}$	(1)	Ignore references to the wavelength of red light	
	• $\lambda_{\text{max}} = 910 \text{ nm}$	(1)	Example of calculation:	
	 Yes, because peak emission occurs at a wavelength close to 950 nm 	(1)	$\lambda_{\text{max}} = \frac{2.898 \times 10^{-3} \text{ m K}}{3200 \text{ K}} = 9.06 \times 10^{-7} \text{ m}$	3

(Total for Question 5 = 9 marks)

Question Number	Acceptable Answer		Additional Guidance	Mark
6(a)(i)	• Use of $F = \frac{GMm}{r^2}$ with $F = \frac{mv^2}{r}$	(1)	Example of calculation: $GMm = mv^2$	
	Correct substitutions to calculate r	(1)	$\frac{1}{r^2} = \frac{1}{r}$	
	$\bullet h = 5.4 \times 10^5 \text{m}$	(1)	$r = \frac{GM}{v^2}$	
	OR • Use of $g = \frac{GM}{r^2}$ to find value of g at orbit height	(1)	$r = \frac{6.67 \times 10^{-11} \mathrm{N m^2 kg^{-2}} \times 5.97 \times 10^{24} \mathrm{kg}}{(7.59 \times 10^3 \mathrm{m s^{-1}})^2}$	
	• Use of $a = \frac{v^2}{r}$ with value of g at orbit height	(1)	r=6.91×10 ⁶ m ∴ h =(6.91×10 ⁶ -6.37×10 ⁶) m=5.42×10 ⁵ m	
	• $h = 5.4 \times 10^5 \text{m}$	(1)		3
6(a)(ii)	• Use of $GPE = \frac{GMm}{r}$	(1)	Example of calculation:	
	• GPE = 5.7×10^{10} J (ecf from (a)(i))	(1)	$GPE = GMm \left(\frac{1}{r_1} - \frac{1}{r_2}\right)$ ∴GPE=6.67×10 ⁻¹¹ Nm ² kg ⁻² × 5.97 ×10 ²⁴ kg	2
			$\times 11600 \text{ kg} \left(\frac{1}{6.37 \times 10^6 \text{m}} - \frac{1}{6.91 \times 10^6 \text{m}} \right)$	
			∴GPE=5.67 ×10 ¹⁰ J	

6(a)(iii)	This would bring the gravitational potential energy closer to zero	(1)
	• This would mean that the satellite would orbit at a greater height as $GPE \propto \frac{1}{r}$	(1)
	• To remain in orbit the centripetal acceleration must equal the gravitational field strength at the orbit	
	height Or Since gravitational force smaller, $\frac{mv^2}{r}$ would be reduced	(1)
	• (Hence) r is greater so v must be smaller Or $v^2 = \frac{GM}{r}$ and satellite would orbit at lower speed	(1)
	OR	
	HST will have more kinetic energy at the original orbit height	(1)
	The centripetal force will be too small to keep it in this orbit	(1)
	The satellite would be travelling too fast, so it would move to a higher orbit	(1)
	• (Hence) r is greater so v must be smaller Or $v^2 = \frac{GM}{r}$ and satellite would orbit at lower speed	(1)

6(b)	Stars emitting infra-red radiation can be detected above the atmosphere Or Some visible wavelengths emitted by stars		Accept identified wavelength range	
	reduced to 50% intensity or less by the atmosphere	(1)		1
6 (c)	Gradient of graph determined	(1)	Example of calculation:	
	• $v = Hd$, so $t = 1/H = 1/gradient$	(1)	Gradient= $\frac{(44000-1000) \text{ km s}^{-1}}{(2.00-0.00)\times10^{22} \text{ km}} = 2.15\times10^{-18} \text{s}^{-1}$	
	• $t = 4.7 \times 10^{17} \text{ s}$	(1)	$t = \frac{1}{2.15 \times 10^{-18} \text{s}^{-1}} = 4.65 \times 10^{17} \text{s}$	3

(Total for Question 6 = 13 marks)

Question Number	Acceptable Answer		Additional Guidance	Mark
7(a)(i)	An explanation that makes reference to the following points:			
	• Time <i>n</i> oscillations and divide by <i>n</i> , where <i>n</i> is a large number	(1)	Where $n \ge 5$	
	• Increasing the time (measured) reduces the uncertainty (in <i>T</i>)	(1)		
	Repeat timing and calculate a mean	(1)		
	Use a (fiducial) marker to indicate the reference position	(1)		
	Use equilibrium position as reference position	(1)	For equilibrium allow centre/undisplaced	
	The trolley is moving fastest at this point so the uncertainty in starting/stopping the stopwatch is least	(1)		6
7 (a)(ii)	• Use $\omega = 2\pi/T$ (to calculate a value for ω) Or use $\omega = 2\pi f$ with $f = 1/T$	(1)		
	Measure the maximum displacement of the trolley from the equilibrium position (with the metre rule)	(1)	For equilibrium allow centre/undisplaced [accept initial displacement for maximum	
	• Use $v_{\text{max}} = \omega A$ (to calculate a value for the maximum velocity of the trolley)	(1)	displacement]	3

7 (b)	(The sensor and data logger) eliminates reaction time Or data logger will not necessarily record the time with any greater resolution	(1)	
7 (c)	An explanation that makes reference to the following points:		
	• $v_{\text{max}} = \omega A$ and ω constant	(1)	
	• If <i>A</i> doubles, then <i>v</i> _{max} doubles	(1)	
	• Hence max E_k will quadruple,		
	since $E_{\rm k} = \frac{1}{2} m v^2$ [dependent upon MP2]	(1)	
	OR		
	• $\Delta E_{\rm el} = \frac{1}{2} F \Delta x$ and $\Delta F = k \Delta x$	(1)	
	• $\Delta E_{\rm el} \propto (\Delta x)^2$ since k is constant	(1)	
	• Hence max E_k will quadruple,		
	since max $E_k = \max \Delta E_{el}$ (dependent upon MP2)	(1)	

(Total for Question 7 = 13 marks)

Question Number				-	ole Answer		Additional Guida	nce	
8(a)	• Use of $s = \frac{(u+v)}{2} \cdot t$ • Use of $E_k = \frac{1}{2}mv^2$ • Use of $P = \frac{\Delta W}{\Delta t}$ • $P = 110 \text{ W}$			(1) (1) (1) (1)	Example of calculation: $32.5 \text{ m} = \frac{(u+0)}{2} \times 17.5 \text{ s}$ $\therefore u = \frac{32.5 \text{ m} \times 2}{17.5 \text{ s}} = 3.71 \text{ m s}^{-1}$ $P = \frac{\Delta E_{k}}{\Delta t} = \frac{1}{2} \times 19.6 \text{ kg} \times (3.7 \text{ m})$ 1.25 s	4			
8(b)	logicall Marks a structur The tab	y struct are awar ed and a	ured answe rded for inc shows lines	er with lindicative consorrers of reason	ability to show a coherent and alkages and fully sustained reasoning. ontent and for how the answer is ming. ould be awarded for indicative		Answer shows a coherent and logical structure with linkage and fully sustained lines of reasoning demonstrated throughout Answer is partially structured with	Number of marks awarded for structure of answer and sustained line of reasoning	
	IC points	IC mark	Max linkage mark available	Max final mark			some linkages and lines of reasoning Answer has no linkages between its	0	
	6	4	2	6			points and is unstructured		
	5	3	2	5					
	4	3	1	4					
	3	2	1	3					
	2	2	0	2					
	1	1	0	1					
	0	0	0	0					

	Indicative content:			
	 (Collision takes place on an ice surface so) there is minimal friction Or External forces are negligible 			
	Momentum is conserved in the collision			
	The momentum of stone A before the collision equals the momentum of (A and) B after the collision			
	Stone A must be at rest after the collision			
	All of the kinetic energy of stone A must have been transferred to stone B			
	Kinetic energy is conserved in an elastic collision			6
8(c)	An explanation that makes reference to the following points:			
	 Sweeping the ice smooths out the surface Or 			
	Sweeping the ice melts the suraface of the ice.	(1)		
	 So frictional forces are reduced (and the deceleration of the stone is reduced) 	(1)	For MP2 accept references to a lower rate of working against friction Or less work done against friction for a given displacement	2

(Total for Question 8 = 12 marks)

Question Number							
9(a)	 An explanation that makes reference to the following points: Shows expansion log v = p log B + log k Compares with y = mx + c and identifies p as the gradient 	(1) (1)		2			
9(b)(i)	E		Allow $\ln v$ against $\ln B$ $ \begin{array}{c cccc} & \ln (v / \text{m s}^{-1}) & \ln B \\ \hline & 0.693 & 0.00 \\ \hline & 2.30 & 1.10 \\ \hline & 3.07 & 1.61 \\ \hline & 3.58 & 1.95 \\ \hline & 3.92 & 2.20 \\ \hline & 4.22 & 2.40 \\ \end{array} $				
	 Labels and unit Scales Plots Line of best fit 	(1)(1)(1)(1)	Check labels on graph axes (not table) Don't credit difficult scales (e.g. increments of 3, 4, 7) Check 2 points furthest from the line (within half a square) Don't check points on difficult scales	5			
9(b)(ii)	 Gradient determined using large triangle - at least half the plotted length p = 1.47 to 2/3 SF and no units Obtains k = 2.00 m s⁻¹ 	(1) (1) (1)	MP3 answer should round to 2; don't penalise SF	3			

(Total for Question 9 = 10 marks)

Question Number	Acceptable Answer		Additional Guidance	Mark
10(a)	Cross sectional area × length used to calculate volume	(1)	Example of calculation: Volume of seatbelt, $V = 0.85 \times 10^{-4} \text{ m}^2 \times 2 \text{ m}$ $V = 1.7 \times 10-4 \text{ m}^3$	
	• Use of $E_k = \frac{1}{2} \text{m} v^2$	(1)	$E_{\rm k} = \frac{1}{2} \times 75 \text{ kg} \times (28 \text{ m s}^{-1})^2 = 2.9 \times 10^4 \text{J}$	
	• Energy per unit volume = $1.7 \times 10^8 \text{ (J m}^{-3}\text{)}$	(1)	$\therefore \frac{E}{V} = \frac{2.9 \times 10^4 \text{ J}}{1.7 \times 10^{-4} \text{ m}^3} = 1.73 \times 10^8 \text{ J m}^{-3}:$	3
10(b)(i)	• (For linear section of graph) area under graph = $\frac{1}{2}$ stress × strain	(1)	Candidates who only use the graph to show that the area has units J m ⁻³ can score a maximum 1 mark	
	• Use of stress = F/A and strain = $\Delta x/x$ to show that area = $\frac{1}{2} \times \frac{F}{A} \times \frac{\Delta x}{x} = \frac{F_{av,\Delta x}}{V} = \frac{E}{V}$	(1)	Accept F_{av} for $\frac{1}{2}F$	2
10(b)(ii)	• Area under graph up to 0.075 calculated	(1)	Example of calculation:	
	• Energy per unit volume = 7.1×10^5 J m ⁻³	(1)	When strain is 0.075 Area = $\frac{1}{2} \times 19 \times 10^6 \text{Pa} \times 0.075 = 7.13 \times 10^5 \text{ J m}^{-3}$	
	 This is much less than the value given in (a), and so belt does not absorb all the KE. OR	(1)	2	
	Graph used to determine stress when strain is 0.075 and $\sigma = \frac{F}{A}$ used to calculate force	(1)		
	• $\epsilon = \frac{\Delta x}{x}$ used to calculate extension and $W = \frac{1}{2}F\Delta x$ used to calculate energy	(1)		
	 Statement that this energy is much less than the value in (a), and so belt does not absorb all the kinetic energy 	(1)		3

(Total for Question 10 = 8 marks)

Question Number	Acceptable Answer		Additional Guidance	Mark
11(a)(i)	MAX 3 • There is an inconsistent number of decimal places	(1)		
	No evidence of repeats	(1)(1)		
	Range is too small A 24.00	(1)		
	 Not enough readings between 24 °C and 60 °C Four (pairs of) readings are not enough 	(1)		
11(a)(ii)	An explanation that makes reference to the following points:	(1)	Mark any two pairs	3
	• The (trapped) air may not have been at the temperature of the water	(1)		
	Because water temperature may not be uniform Or because transfer of thermal energy through the glass takes time	(1)		
	The volume of the (trapped) air column may not be proportional to the length of the column	(1)		
	Because the bore of the glass tube may not have been uniform	(1)		
	The temperature / length may be read incorrectly	(1)		
	Because there may be a parallax error when reading the temperature or length of the trapped air column	(1)		4

11(a)(iii)	Any two from:			
	Stir water in beaker	(1)		
	Use digital thermometer Or temp sensor & data logger	(1)		
	Put thermometer close to tube	(1)		
	Let tube reach thermal equilibrium before taking readings	(1)		
	Use thermostatically controlled water bath	(1)		
	Take reading in line with scale	(1)		2
11(b)(i)	An explanation that makes reference to the following points:			
	The intercept represents the temperature of the air at which the volume occupied would be zero	(1)		
	This is the absolute zero (of temperature)			
	 Absolute zero is the lowest attainable temperature Or absolute zero is the temperature at which the 	(1)		
	atoms/molecules of the gas have zero kinetic energy	(1)	For MP3 accept atoms/molecules stop moving	3
11(b)(ii)	MAX 4			
	Resolution:			
	 It is correct that uncertainties would be reduced by using 			
	high resolution instruments	(1)		
	But the instruments are not high resolution	(1)		
	• There could be a systematic error (in the measurements)	(1)		
	Graph:			
	 The points do not lie on a perfect straight line Or the true relationship may not linear 	(1)		
	 Temperature intercept may not be accurate Or there may be extrapolation errors 	(1)		
	More points are needed Or a wider range is needed	(1)		4

Question Number	Acceptable Answer					Additional Guidance		Mark	
12(a)	• Speed of impact is the same for both spheres				or both spheres	(1)			
	•	mass	of sphere ∝	(diameter) ³	(1)	For MP2 accept radius instead o	f diameter	
	• $E_{\rm k} = \frac{1}{2} m v^2$ so factor = 8						A bald correct answer scores MP3 only		
	OR • Final $E_{\mathbf{k}} = \Delta E_{\mathbf{grav}}$					(1)	Example of calculation: $\frac{m_2}{m_1} = \left(\frac{4 \text{ cm}}{2 \text{ cm}}\right)^3 = 8$		
	•	mass	of sphere ∝	(diameter)) ³	(1)	$\begin{vmatrix} m_1 & (2 \text{ cm}) \\ \frac{E_{k2}}{E_{k1}} = \frac{m_2}{m_1} = 8 \end{vmatrix}$		3
	•	$\Delta E_{\rm grav}$	$_{_{7}}=mg\Delta h$, so	factor =	8	(1)			
*12(b)	This question assesses a student's ability to show a coherent and logically structured answer with linkages and fully sustained reasoning. Marks are awarded for indicative content and for how the answer is structured and shows lines of reasoning. The table shows how the marks should be awarded for indicative content and lines of reasoning.						Answer shows a coherent and logical structure with linkage and fully sustained lines of reasoning	Number of marks awarded for structure of answer and sustained line of reasoning	
	IC points	IC mark	Max linkage mark available	Max final mark			demonstrated throughout Answer is partially structured with some linkages and lines of	1	
	5	3	2	5			reasoning Answer has no linkages between its		
	4	3	1	4			points and is unstructured	0	
	3	2	1	3					
	2	2	0	2					
		1	0	1					
	0	0	0	0					

 Indicative content: The table shows that increasing the drop height does increase the crater diameter Increasing the drop height increases the impact velocity/E_k 		
 Because there is a greater acceleration time Or because there is a greater transfer of GPE to KE The table does not show that increasing the sphere diameter (always) increases the crater diameter 	For IC3 accept reference to an appropriate equation	
• For smaller spheres (from 2 to 4 cm), increasing sphere diameter does increase crater diameter Or for bigger spheres (from 4 to 6 cm), increasing the sphere diameter has little effect on crater diameter	For IC5 accept "no effect" or "inconsistent effect" for "little effect"	
 More data is needed for firmer conclusions 		6

(Total for Question 12 = 9 marks)