



Cambridge O Level

BIOLOGY

5090/61

Paper 6 Alternative to Practical

October/November 2020

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2020 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of **7** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
- 5 'List rule' guidance
For questions that require *n* responses (e.g. State **two** reasons ...):
 - The response should be read as continuous prose, even when numbered answer spaces are provided.
 - Any response marked *ignore* in the mark scheme should not count towards *n*.
 - Incorrect responses should not be awarded credit but will still count towards *n*.
 - Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
 - Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark schemes will use these abbreviations:

; separates marking points

/ alternatives

() contents of brackets are not required but should be implied

R reject

A accept (for answers correctly cued by the question, or guidance for examiners)

lg ignore (for incorrect but irrelevant responses)

AW alternative wording (where responses vary more than usual)

AVP alternative valid point (where a greater than usual variety of responses is expected)

ORA or reverse argument

underline actual word underlined must be used by candidate

+ statements on both sides of the **+** are needed for that mark

Question	Answer	Marks	Guidance																						
1(a)(i)	<p>both tables with value in every box ; all colours correctly entered ;</p> <table border="1"> <thead> <tr> <th>time</th> <th>C</th> <th>D</th> <th>E</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>creamy yellow</td> <td>very pale brown</td> <td>creamy yellow</td> </tr> <tr> <td>10</td> <td>creamy yellow</td> <td>pale brown</td> <td>very pale brown</td> </tr> <tr> <td>20</td> <td>creamy yellow</td> <td>brown</td> <td>pale brown</td> </tr> </tbody> </table> <p>all pHs correctly entered ;</p> <table border="1"> <thead> <tr> <th>C</th> <th>D</th> <th>E</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>6</td> <td>6</td> </tr> </tbody> </table>	time	C	D	E	5	creamy yellow	very pale brown	creamy yellow	10	creamy yellow	pale brown	very pale brown	20	creamy yellow	brown	pale brown	C	D	E	2	6	6	3	
time	C	D	E																						
5	creamy yellow	very pale brown	creamy yellow																						
10	creamy yellow	pale brown	very pale brown																						
20	creamy yellow	brown	pale brown																						
C	D	E																							
2	6	6																							
1(a)(ii)	to compare the effect of the treatments with no treatment / AW ;	1																							
1(a)(iii)	measuring cylinder ;	1	A graduated pipette																						
1(a)(iv)	(using) forceps ;	1																							
1(a)(v)	(universal) pH paper / universal indicator (solution) ; observe colour <u>change</u> ; use colour chart ;	3																							
1(b)(i)	(HCl) stopped browning ;	1	A prevents colour change / stops reaction																						
1(b)(ii)	enzyme denatured ;	1																							

Question	Answer	Marks	Guidance								
1(b)(iii)	D turns darker brown / turns brown more quickly / changes colour more quickly ;	1									
1(b)(iv)	more enzyme / substrate available ; increased contact with oxygen ; increased surface area ;	1									
1(c)	relevant reason ; related improvement ; <table border="1" data-bbox="421 549 1218 879"> <thead> <tr> <th data-bbox="421 549 817 616">reason</th> <th data-bbox="817 549 1218 616">improvement</th> </tr> </thead> <tbody> <tr> <td data-bbox="421 616 817 683">colour change not rapid</td> <td data-bbox="817 616 1218 683">record over longer time</td> </tr> <tr> <td data-bbox="421 683 817 815">difficult to assess colour / subjective</td> <td data-bbox="817 683 1218 815">compare with a colour chart / record over a longer time</td> </tr> <tr> <td data-bbox="421 815 817 879">colour change not uniform</td> <td data-bbox="817 815 1218 879">assess area changed</td> </tr> </tbody> </table>	reason	improvement	colour change not rapid	record over longer time	difficult to assess colour / subjective	compare with a colour chart / record over a longer time	colour change not uniform	assess area changed	2	
reason	improvement										
colour change not rapid	record over longer time										
difficult to assess colour / subjective	compare with a colour chart / record over a longer time										
colour change not uniform	assess area changed										
1(d)	1 reference to a control variable ; 2 different pH solutions / buffers ; 3 freshly cut slices + place in each pH ; 4 after 2 minutes / same time + remove slices from pH solutions / put slices on white tile ; 5 measure time taken for each slice to turn brown ; 6 pH that goes brown fastest is optimum ;	5									
2(a)	time on x-axis + breathing rate on y-axis + axes fully labelled with units ; linear scale for both axes + at least origin labelled 0 + occupying at least half the grid ; all 6 points plotted correctly ; ruled lines between points ;	4									

Question	Answer	Marks	Guidance
2(b)	29 breaths per min ; working shown on graph ;	2	A 28.5–30.5
2(c)	count each breath over 1 minute ;	1	
2(d)	depth of breathing / volume of each breath ;	1	A volume CO ₂ released / O ₂ uptake

Question	Answer	Marks	Guidance
3(a)(i)	drawing at least 8 cm long ; drawn with a sharp pencil + continuous lines + no shading ; leaf length greater than width + stalk drawn with double line + closed at end ; four teeth on left side of leaf + five teeth on right side of leaf ; smooth edge to leaf + first point on right higher than left ;	5	
3(a)(ii)	measurement for F-G in photograph 34–36 ; two lines drawn in same positions ; correct measurement of candidate's line on drawing ± 1mm + correct unit ;	3	A 3.4–3.6 (unit not required)
3(a)(iii)	working shown ; length in photograph / length of drawing ;	2	R units
3(b)	boxes 1b + 2a ticked ; red beech ;	2	