

Cambridge International Examinations

Cambridge International Advanced Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

ω ω μ ο

BIOLOGY 9700/43

Paper 4 A2 Structured Questions

October/November 2015

2 hours

Candidates answer on the Question Paper.

Additional Materials: Answer paper available on request.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces provided at the top of this page. Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Section A

Answer all questions.

Section B

Answer one question.

Circle the number of the Section B question you have answered in the grid below.

You may lose marks if you do not show your working or if you do not use appropriate units.

Electronic calculators may be used.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
Section A		
1		
2		
3		
4		
5		
6		
7		
8		
Section B		
9 or 10		
Total		

This document consists of 21 printed pages, 2 blank pages and 1 lined page.



Section A

Answer **all** the questions.

1 (a) Yeast cells sometimes carry out anaerobic respiration.

Fig. 1.1 outlines the process of anaerobic respiration in yeast cells.




Fig. 1.1

(i)	Identify compounds W, X and Y.
	w
	X
	Υ[3
(ii)	State two differences between anaerobic respiration in yeast cells and anaerobic respiration in human muscle cells.

(b) Dinitrophenol (DNP) is a compound used as a herbicide. DNP inhibits respiration by interfering with the formation of the proton gradient between mitochondrial membranes.

When DNP was added to isolated mitochondria the following observations were made:

- fewer ATP molecules were produced
- more heat energy was released
- the uptake of oxygen remained constant.

Suggest explanations for these observations.
fewer ATP molecules produced
more heat energy released
constant oxygen uptake
[3]

[Total: 8]

BLANK PAGE

2

	the body causes production of antibody molecules that bind to nicotine.
)	Outline the immune response that leads to the production of these anti-nicotine antibodies.
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).
	Mice injected with NicVAX produce B-lymphocytes that mature into cells responsible for the production of antibody (plasma cells).

(c) Tobacco smoking during pregnancy has adverse side-effects on the developing fetus.

An investigation was carried out to find out whether vaccinating pregnant women with NicVAX might offer some protection for the developing fetus.

Two different monoclonal antibodies, produced in response to NicVAX, were used in this investigation:

- Nic-IgG
- Nic311.

Nicotine, or nicotine plus one of the monoclonal antibodies, was injected into the maternal circulation. The concentrations of nicotine in the fetal circulation were measured at intervals.

The results of the investigation are shown in Fig 2.1.




Fig. 2.1

Fig. 2.1, describe the results obtained for nicoti	ne only.
	[2]
t to which these results support the idea that v developing fetus of a woman who smokes tobac	
	[3]
of monoclonal antibodies, other than their use	in producing vaccines.
	[1]
	[Total: 15]

BLANK PAGE

3 Atlantic salmon, *Salmo salar*, is one of the most important fish species farmed for human consumption.

Fig. 3.1 shows an Atlantic salmon.




Fig. 3.1

Infectious pancreatic necrosis (IPN) is a serious viral disease currently affecting farmed salmon.

(a)	(i)	Describe how artificial selection could be used to produce a population of salmon that is resistant to IPN.
		[3]
	(ii)	Suggest problems that may arise from artificial selection.
		[2]

(b) A laboratory investigation was carried out to compare the artificially selected farmed Atlantic salmon with farmed salmon that had not been artificially selected.

Three groups of young fish were set up in carefully controlled conditions as follows:

- Group A: artificially selected salmon
- Group **B**: non-artificially selected salmon
- Group C: non-artificially selected salmon.

During this investigation, only groups **A** and **B** were exposed to IPN on day 0.

The percentages of salmon that died (percentage mortality) were calculated and are shown in Fig. 3.2.




Fig. 3.2

(i)	Describe and explain the differences in percentage mortality between groups A and B .
	[4]
ii)	Suggest a reason for the mortality in group C.
	[1]
	[Total: 10]

4 Haemophilia A and haemophilia B are common hereditary disorders of blood clotting.

Haemophilia A is a sex-linked genetic disorder that affects approximately 1 in 20000 males worldwide. It is caused by a recessive allele of a gene coding for a clotting factor and results in excessive bleeding.

There is currently no cure, but symptoms of haemophilia can be treated with a transfusion of a clotting factor to slow down the bleeding.

(a)	Sta	te how genetic screening could reduce the number of cases of haemophilia.	
			[2]
(b)	(i)	Some genetic disorders can be treated with gene therapy.	
		Outline the aims of gene therapy.	
	(ii)	Suggest why haemophilia A is a suitable disorder for treatment with gene therapy.	ر کی …
			[1]

- **(c)** Haemophilia A and haemophilia B are caused by mutations in different blood clotting genes, *F8* and *F9* respectively. Both disorders have been treated with gene therapy involving the use of a vector.
 - (i) Table 4.1 shows the lengths, in kilobases (kb), of the F8 and F9 genes.

Table 4.1

haemophilia	gene	gene length / kb
А	F8	>8
В	F9	1.4

With reference to Table 4.1, suggest why gene therapy using the <i>F9</i> gene has buccessful than using the <i>F8</i> gene.	oeen more
	• • • • • • • • • • • • • • • • • • • •
	[2

(ii) Two frequently used vectors in gene therapy are compared in Table 4.2.

Table 4.2

feature	vector		
	adenovirus	retrovirus	
genetic material of virus	double-stranded DNA	single-stranded RNA	
expression of inserted gene	high gene expression	gene expression in dividing cells only	
host immune response to virus	high	low	

ader	noviru	ıs rat	her tl	han r	retro	viru	s as	a ve	ector					using
														[3]

[Total: 10]

5	(a)	(i)	Explain what is meant by the term biodiversity.	
				[2]
		(ii)	Explain why it is important to ensure that biodiversity is maintained.	
				[3]

(b) To reduce the loss of global biodiversity, areas of habitat have been protected.

Fig 5.1 shows the changes in the total area protected and in global biodiversity from 1965 to 2005, in terrestrial and marine habitats.




Fig. 5.1

- (i) With reference to Fig. 5.1, compare the relationship between total area protected and global biodiversity in terrestrial and marine habitats:
 - between 1970 and 1990

----- total area protected

between 1990 and 2005.

	between 1970 and 1990	
	between 1990 and 2005	
		.[3]
(ii)	Suggest why a smaller area of marine habitats has been protected than of terrest habitats.	rial

[Total: 10]

6 (a) One important function of the kidney nephron is selective reabsorption. This involves the rapid transfer of water across cell surface membranes. The rapid transfer of water requires the presence of protein channels known as aquaporins.

Fig. 6.1 is a diagram of a nephron.




Fig. 6.1

With reference to Fig. 6.1, complete the table by inserting the correct letter for each description.

description of region of nephron	letter
region where no aquaporins are present in the tubule wall cells	
region where aquaporins and glucose transport proteins are present in tubule wall cells	
region where aquaporins are always present in the tubule wall cells but no glucose transport proteins are present	
region where tubule wall cells are modified to produce filtration slits	

[4]

- (b) (i) The urine of people on different types of diet was analysed.
 - people on a low protein diet had a mean urea concentration of 2.40 g dm⁻³
 - people on a high protein diet had a mean urea concentration of 14.76 g dm⁻³.

Calculate the percentage increase in the concentration of urea between the low and high protein diets.

Show your working.

	answer % [2]
(ii)	Explain why an increase in the quantity of protein in the diet leads to an increase in the concentration of urea in the urine.
	[2]

[Total: 8]

7 (a) Fig. 7.1 shows the absorption spectra of chlorophyll a and chlorophyll b and a corresponding action spectrum.




Fig. 7.1

(i)	Explain why peak X of the action spectrum is higher than peak Y .
	[2]
(ii)	Explain why most plants appear green.
	[2]

	(iii)	Chlorop	hyll b	is an	access	ory	pigment.							
		Outline photosy			played	by	accessory	pigments	in	the	light-dep	endent	stage	of
														.[2]
(b)		cribe the perature			n a plan	nt if	its environm	nental temp	oera	ture	rises wel	l above	the us	ual
														.[5]

(c)	Complete the following paragraph by using the most suitable words to fill in the gaps.
	A chloroplast is surrounded by two phospholipid membranes. It has an internal ground
	substance called the stroma which is the site of the Calvin cycle. The stroma contains
	enzymes such as and also sugars, lipids and starch. A chloroplast
	has an internal membrane system of fluid-filled sacs called which
	can be stacked to form grana. Grana membranes hold photosynthetic pigments so that the
	light-dependent stage of photosynthesis can take place. The stroma contains circular
	which codes for some of the chloroplast proteins made by its own small
	[4]
	[Total: 15]
	fruit fly, <i>Drosophila melanogaster</i> , is widely used in genetic research. It has many phenotypic ants in features such as body colour, wing shape and eye colour.
Two	variations from the normal-winged, grey-bodied phenotype are:
	 vestigial (very short) wings, coded for by the recessive allele of the gene N/n ebony (black) body colour, coded for by the recessive allele of the gene G/g.
(a)	Using the symbols given, state the possible genotypes of normal-winged, grey-bodied fruit flies.
	[2]
(b)	Describe how you would determine the genotype of a normal-winged, grey-bodied fly.
	[3]

8

- **(c)** One of the genes for eye colour is carried on the X chromosome. This gene has different alleles coding for:
 - red eyes
 - orange eyes
 - white eyes.

The allele for red eyes (R) is dominant to the allele for orange eyes (o) and dominant to the allele for white eyes (w). The allele for orange eyes is dominant to that for white eyes.

Using these symbols, draw a genetic diagram to show how a cross between a white-eyed male fruit fly with a red-eyed female fruit fly will produce male and female offspring that are either red-eyed or orange-eyed.

[4]

[Total: 9]

Section B

Answer **one** question.

9	(a)	Outline oogenesis in a human female.	[9]
	(b)	Describe and explain the changes to the uterus during the menstrual cycle.	[6]
		[Tota	al:15]
10	(a)	Outline how hybridisation leads to polyploidy in wheat and how this benefits farmers.	[8]
	(b)	Discuss the detrimental environmental and economic effects of growing genetically mo- herbicide-resistant oil seed rape.	dified [7]
		[Tota	al: 15]
	•••••		

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.